



# ceramico

## China





Ondertussen is het al 45 jaar geleden dat Ceramico van start ging met het leveren van tegels en natuursteen. Het aantal vloeren en wanden, binnen én buiten, dat we met onze producten een blijvende schoonheid hebben meegegeven, is ontelbaar. En daar zijn we trots op. Keramiek en natuursteen is niet alleen ons beroep, het is door de jaren heen een echte passie geworden. Wij waren destijds pioniers, niet alleen door het enorme aanbod, maar ook door de manier waarop we onze producten voorstelden.

Ceramico was de eerste die de pracht en kracht van tegels en natuursteen op grotere vlakken in de verkoopruimte presenteerde. Die pioniersrol zijn we altijd blijven spelen en dat zullen we blijven doen, bijvoorbeeld met onze vernieuwde website.

Bezoekers een nog betere voorstelling en inleving bezorgen bij de keuze van hun tegels en natuursteen: dat is de insteek van de volledig vernieuwde website van Ceramico. Neem gerust een kijkje en laat je verrassen door de enorme verscheidenheid van ons aanbod. Heb je je keuze gemaakt? Kom dan even naar de toonzaal om het product van dichtbij te bekijken of vraag een staal aan via onze stalendienst.

Als pionier in de natuursteensector zijn wij graag vernieuwend, maar we hebben ook oog voor verbetering. Precies daarom kregen we als één van de eersten in de sector het label 'CertiKera' en zijn we ook al jarenlang de fiere drager van het quality label van Febenat, de federatie van de Benelux natuursteenbedrijven. Alle onze natuurstenen zijn trouwens conform de geldende CE-normen.

In 1976 was het de bedoeling om de klanten naar onze toonzaal te krijgen via 'mond-tot-mond'-reclame. Hoewel we momenteel in een door multimedia overheerste wereld leven, halen we in onze showroom nog steeds het grootste bezoekersaantal via 'mond-tot-mond'-reclame. Vandaag krijgen we de "derde generatie" klanten letterlijk over de vloer. Een mooier bewijs van een trouw en tevreden cliënteel kunnen we ons niet voorstellen.

In de loop van de voorbije jaren hebben wij trends zien komen en gaan en ... terugkomen. Ceramico volgt alle trends op de voet, wij houden graag de vinger aan de pols. Dag na dag gaan onze specialisten op zoek naar nieuwe tegels, nieuwe natuursteen en nieuwe ontwikkelingen om onze woningen te betegelen. De grote uitdaging is deze nieuwe materialen met de nodige deskundigheid op de markt te brengen. We willen al die nieuwigheden niet alleen 'tonen', maar ook onze klanten adviseren over nieuwe plaatsingstechnieken en meteen ook aantonen dat onze producten gemakkelijk in onderhoud en vooral ook milieuvriendelijk en duurzaam zijn.

Prijzen zijn belangrijk, maar nog belangrijker is de duurzaamheid van onze producten. Wij houden rekening met de ecologisch voetafdruk en de werkomstandigheden bij onze buitenlandse leveranciers. Zij worden onafhankelijk gecontroleerd via onverwachte audits ter plaatse.

Eenmaal de natuursteen bij ons geleverd wordt, houdt het niet op. We willen onze producten ook in de allerbeste omstandigheden bewaren om ze in perfect staat bij onze klanten af te leveren. In Zedelgem beschikken we over een 6.000 m<sup>2</sup> groot, overdekt magazijn om de zorgvuldig geselecteerde producten tegen alle weersomstandigheden te kunnen beschermen.

Importeren, verkopen en leveren is maar één aspect van Ceramico. Wij koppelen daar ook een onberispelijke service aan vast. Een professioneel, maar evenzeer creatief verkoopteam staat klaar om de bezoeker deskundig advies te geven. Ook architecten en binnenhuisarchitecten staan we met raad en daad bij. Wij zorgen graag voor een prijsophaal, gratis, op maat en binnen het vooropgesteld budget. Na aankoop begeleiden wij onze klanten in het plaatsen en onderhoud. Via onze technische info houden wij alle informatie over onderhoud en plaatsing nauwkeurig bij. Onze professionele begeleiding maakt dat de bekendste wereldmerken ons benaderen om hun gamma in ons aanbod op te nemen. Wij hopen in de toekomst, samen met u, nog beter te kunnen inspelen op uw vraag naar tegels en natuursteen om zo de gevestigde waarde te blijven in uw regio.

# Contents

Introduction	p.1
Contents	p.2
Granite - G654 - G654-J	p.3 - 12
Basalt - G684	p.13 - 16
Basalt - EA 072 - EA 073 - EA 081- EA 688 - EA 690 - EA 800 - Mongolian black	p.17 - 20
Limestone - Jinin Blue	p.21 - 26
Limestone - Jinin Blue - Palissade - Blockstair - Border	p.27 - 32
Limestone - Jinin Blue - Stairs - Raisers - Skirtings	p.33 - 34
Limestone - White wood	p.35 - 36
Marble - Starlight	p.37
Granite - G389	p.38
Granite - China - Different finishings	p.39 - 40
Granite - Import - Different finishings	p.41 - 42
Quartzite - Different finishings	p.43 - 44
Slates - Different finishings	p.45 - 52
Stone strips	p.53 - 54
Mosaics - Asian white - Different finishings	p.55
Mosaics - Chinese or Belgium bluestone - Different finishings	p.56
Mosaics - Bianco carrara - Different finishings	p.57 - 58
Mosaics - Dark emperador - Different finishings	p.59 - 60
Mosaics - Wooden gray - Different finishings	p.61
Mosaics - Starlight - Different finishings	p.62
Mosaics - Special design	p.63 - 66
Marmocino	p.67 - 70
Marmocino - Technical information	p.71
Marmocino - Mosaics - Different finishings	p.72
Marmopanel	p.73 - 84
Ultra Thin Panel	p.85 - 96
Slabs - Different finishings	p.97 - 108
Marmoline - Stone panel - Cement	p.109 - 114
Marmoline - Stone panel - Glued	p.115 - 132
Wall Stone	p.133 - 136
Marmoline - Stone panel - Strips	p.137 - 138
Bath - Fountains - Sinks	p.139 - 142
Visit our website and order online	
Download more brochures	
General Conditions	
Installation and maintenance	
General terms of orders	

# Granite - G654

## Technical sheet



Laatst aangepast op 28/10/2014. Datum van document: 20/04/2015



### PEPPERINO DARK

Andere benamingen: Kobra, Dark Grey, New Jasberg Palladio Light, Shangai Grey, Jersey, Donker grijs graniet

**OORSPRONG EN UITZICHT**

**Referentiebenaming:** Chinese Graniet Grijs (G654)  
**Oorsprong:** Fujian (China)

**Beschrijving:**  
 compacte dioriet met een middelgrijze basiskleur en zwarte mineraalconcentraties. De steen heeft een fijne granulometrie zonder zichtbare poriën.

**Eigenschappen:**  
 kleurnuances, zelfs binnen eenzelfde partij, kunnen voorkomen.



Foto is enkel indicatief, kleur- en structuurafwijkingen zijn mogelijk.

**KENMERKEN**

Kenmerk	Norm	Gem.	Stand. Afw.	E-	E+	Eenheid
Schijnbaar volumieke massa	NBN EN 1936	2773	2.4	2769	2776	kg/m <sup>3</sup>
Porositeit	NBN EN 1936	0.4	0.0	0.4	0.4	vol.%
Druksterkte	NBN EN 1926	238.3	19.6	209.2	-	N/mm <sup>2</sup>
Buigsterkte	NBN EN 12372	21.8	1.3	20.0	-	N/mm <sup>2</sup>
Slijtsterkte Capon	NBN EN 14157	16.0	0.0	-	15.9	mm
Slijtsterkte Amsler	nvt	-	-	-	-	mm/1000m
Vorstbestendigheid	NBN EN 12371			168 cycli		
Petrografie	NBN EN 12407			dioriet		

σ: standaardafwijking  
 E-: minimaal te verwachten waarde  
 E+: maximaal te verwachten waarde  
 Voor bijkomende informatie: zie TV 228 (WTCB)

**ONDERHOUD**

**Eerste reiniging:** een eenmalige schoonmaakbeurt met aangepast reinigingsmiddel. Dit mag vanaf één week na opvoegen van de vloer. Mocht op de vloer cementsluiser voorkomen, pas dan hetzelfde product toe, in combinatie met een éénschijfsmachine en een schrobpad.

**Eerste onderhoud:** vervolgens dient men de vloer voldoende te laten uitdrogen: d.w.z. ongeveer 3 à 6 maanden licht vochtig dweilen met toevoeging van aangepast onderhoudsmiddel dat de poriën van de steen niet afsluit.

**Regelmatig onderhoud:** gebruik wekelijks een onderhoudsproduct dat geschikt is voor natuursteen.

**Periodiek onderhoud:** om het uitzicht van de natuursteen te optimaliseren, moet men deze maandelijks onderhouden met een voedend product (enkel voor binnenbevoering).

**Bescherming:** de natuursteen moet behandeld worden met een impregneermiddel in vocht (badkamer-douche) - en vlekgevoelige (keuken) ruimten.

**Buiten:** Eerste reiniging: zie hierboven. Verder onderhoud gebeurt met een product dat de poriën van de steen niet afsluit.  
*Opgelet: gebruik steeds de producten van hetzelfde merk! (Lithofin®, Moëller, Berdy®, Akemi®)*  
*Algemeen dient gesteld dat men bij het onderhoud niet mag overdrijven met water.*

Febenat v.z.w. ■ Federatie van Benelux Natuursteengroothandelaars  
 \*Vergewis U ervan dat het materiaal afkomstig is van een Febenat-lid. Zoniet dekt de fiche de lading niet.\*

\*Deze fiche is afkomstig van www.febenat.be\*

# Granite - G654



G654 - Sirocco

# Granite - G654



G654 - Chiseled

# New - G654 - J



G654 - J - Sirocco - **NEW**




G654 - Sirocco

# Granite - G654



G654 - Sirocco

# Granite - G654



G654 - Blockstair - Sirocco

# Granite - G654




G654 - Palissade - Sirocco

# Granite - G654



G654 - Sirocco

# Granite - G654



G654 - Sirocco

# Basalt - G684



G684 - Sirocco




G684 - Chisseled




G684N - Sirocco

## Basalt - G684



G684 - Chisseled

## Basalt - G 684




G684 - Facade - Sirocco

# Basalt

EA 072 - EA 073 - EA 081 - EA 688 - EA 690 - EA 800



EA 073 - Honed



EA 688 - Sirocco




EA 800 - Sirocco



EA 081 - Honed



EA 073 - Sirocco



EA 690 - Sirocco



EA 072 - Calima dark



Micro holes

# Basalt

Mongolian Black




Mongolian black

# EA 690



EA 690 - Sirocco

# EA 688



EA 688 - Sirocco

# Limestone - Jinin blue

## Technical sheet



benelux natural stone federation

Laatst aangepast op 06/02/2015. Datum van document: 20/04/2015



**CHINESE HARDSTEEN**

Andere benamingen: Chinese Blue Stone, Jinin Stone Montal, Laguna Blue, Spotted Blue

**OORSPRONG EN UITZICHT**

**Referentiebenaming:** Jininstone (L 828)  
**Oorsprong:** Jinin (China)

**Beschrijving:**  
sedimentaire dolomietrijke zwartblauwe compacte kalksteen met typische kleine kalkbolletjes en witte aders en vlekken. Ontstaan uit de ophoping van oölieten (kleine kalkbolletjes) die letterlijk samengeklit werden door microkristallijn calciet (zwarte gemoucheteerde achtergrond).

**Eigenschappen:**  
Kleurnuances komen altijd in meer of mindere mate voor, zelfs binnen éénzelfde partij. Door de aanwezigheid van dolomiet zal de steen bij buitengebruik na enige tijd een bruine schijn vertonen.




Foto is enkel indicatief, kleur- en structuurafwijkingen zijn mogelijk.

**KENMERKEN**

Kenmerk	Norm	Gem.	Stand. Afw.	E-	E+	Eenheid
Schijnbaar volumieke massa	NBN EN 1936	2736	2	2733	2739	kg/m <sup>3</sup>
Porositeit	NBN EN 1936	0.2	-	-	-	vol.%
Druksterkte	NBN EN 1926	127.3	33.3	78.5	-	N/mm <sup>2</sup>
Buigsterkte	NBN EN 12372	25.4	2.2	22.7	-	N/mm <sup>2</sup>
Slijtsterkte Capon	NBN EN 14157	19.5	0.2	-	20.0	mm
Slijtsterkte Amsler	nvt					mm/1000m
Vorstbestendigheid	NBN EN 12371	168 cycli				
Petrografie	NBN EN 12407	oölitische dolomietrijke kalksteen				

o: standaardafwijking  
E-: minimaal te verwachten waarde  
E+: maximaal te verwachten waarde  
Voor bijkomende informatie: zie TV 228 (WTCB)

**ONDERHOUD**

**Eerste reiniging:** een eenmalige schoonmaakbeurt met aangepast reinigingsmiddel (opgelet: niet zuurhoudend). Dit mag vanaf één week na opvoegen van de vloer. Mocht op de vloer cementsluiser voorkomen, pas dan hetzelfde product toe, in combinatie met een éenschijfsmachine en een schrobpad.

**Eerste onderhoud:** vervolgens dient men de vloer voldoende te laten uitdrogen: d.w.z. ongeveer 3 à 6 maanden licht vochtig dweilen met toevoeging van aangepast onderhoudsmiddel dat de poriën van de steen niet afsluit.

**Regelmatig onderhoud:** gebruik wekelijks een onderhoudsproduct dat geschikt is voor natuursteen.

**Periodiek onderhoud:** om het uitzicht van de natuursteen te optimaliseren, moet men deze maandelijks onderhouden met een voedend product (enkel voor binnenbevoering).

**Bescherming:** de natuursteen moet behandeld worden met een impregneermiddel in vocht (badkamer-douche) - en vlekgevoelige (keuken) ruimten.

**Buiten:** Eerste reiniging: zie hierboven. Verder onderhoud gebeurt met een product dat de poriën van de steen niet afsluit.  
*Opgelet: gebruik steeds de producten van hetzelfde merk! (Lithofin ®, Moëller, Berdy ®, Akemi ®)*  
Algemeen dient gesteld dat men bij het onderhoud niet mag overdrijven met water.

Febemat v.z.w. ■ Federatie van Benelux Natuursteengroothandelaars


"Vergewis U ervan dat het materiaal afkomstig is van een FebeNat-lid. Zoniet dekt de fiche de lading niet."

\*Deze fiche is afkomstig van [www.febemat.be](http://www.febemat.be)

# Limestone - Jinin blue



Honed tumbled



Sirocco



Century H




Calima

## Limestone - Jinin blue



Century H  
Tumbled

## Limestone - Jinin blue



Calima

## Limestone - Jinin blue




Century H

## Limestone - Jinin blue




Paver - Tumbled

**Limestone - Jinin blue  
Palissade - Blockstair - Border**



Calima

**Limestone - Jinin blue  
Palissade**



Compass and Palissade - Natural bushhammered

**Limestone - Jinin blue**  
**Palissade - Blockstair - Border**



Calima

**Limestone - Jinin blue**  
**Palissade**



# Limestone - Jinin blue

## Palissade - Blockstair - Border



Blockstair G684 + palissade Jinin blue - Honed


Jinin Blue - Border - Light facet

**Limestone - Jinin blue**  
**Stairs - Raisers - Skirtings**



Sirocco

**Limestone - Jinin blue**  
**Stairs - Raisers - Skirtings**



Sirocco

# Limestone - White wood



Honed



Polished




Calima



Brushed

# Limestone - White wood



Honed

# Marble - Starlight




Honed



Calima



Chiseled



Calima brushed

# Granite - G389



Calima

# Granite - China



G623



G648



G611



G637




G630




G631



G562



G652



Chinese Porrino


# Granite - China



Huidong Red



Ice Blue



Butterfly Blue



China Juparana



Chinese Multicolor Red



G603 - P



Beida Black



China Black



Mongolia Black - (Basalt)


# Granite - Import



Pearl White



Giallo veneziano



Tigerskin Red



Tan brown




Spray White



Purwhite Galaxy tile



Tigerskin Rust



Tigerskin Yellow




Shanxi Black

# Granite - Import



Black galaxy



Blue pearl



Butterfly green



Forest green



Multicolor Green




Tropical Green



Juparana



Paradiso



Himalaya blue

# Quartzite



S - Q03 - Flamed



S - Q04 - Flamed



S - Q05 - Flamed



S - Q07 - Flamed



S - Q06 - Polished



S - Q11 - Polished



S - Q08 - Polished



S - Q10 - Polished



S - Q12 - Polished

# Quartzite




S - 014 - Oyster yellow

# Slates



Black slate - Natural

# Slates




Black slate - Vein cut

# Slates



Black slate - Natural - Vein cut

# Slates




Black slate - Vein cut

# Slates



S - 104 - Multi

# Slates



S - 104 - Multi - Colour range

# Slates



S - 1120 - Dark rusty - Colour range

# Slates



S - 1120 - Dark rusty - Natural

## Stone strips



Stone strips - Carara C

## Mosaics




Mosaics - Carara C

## Mosaics - Asian White



White Bricks - polished



Basketweave + Black dots



Basketweave



Brick pattern



Herringbone



Hexagon



Linear



White Linear - polished



3D - Honed and natural split

## Mosaics - Chinese or Belgium bluestone



3D - Honed & natural Split



5 finishings - Hexagon



5 finishings - Soldier Pattern



5 finishings - Square  
23x23 mm




5 finishings - Square  
48x48 mm



**Belgium bluestone**  
Soldier pattern

# Mosaics - Bianco carrara



3D - Honed and natural split



Basketweave polished



Brick multi finish



5 finishings square



Big brick polished



Diamond polished



Herringbone polished



Hexagon polished



Square pillowed polished


# Mosaics - Bianco carrara



Basketweave & black dots



Small brick polished



Square polished



Soldier pattern polished



Hexagon polished



Moduklar linea polished



Square matt **without joints**



Basketweave & blue dots



Waviness

# Mosaics - Dark emperador



3D - Honed and natural split



5 finishings hexagon



5 finishings square  
48x48 mm



5 finishings square  
23x23 mm



Honed broken edges



Square matt **without joints**




# Mosaics - Wooden gray



Coffee oval polished brown



Coffee oval polished grey



Coffee pattern polished brown



Coffee round polished brown



Coffee square pillowed brown



Coffee stagger brown



Round polished grey



Square pillowed grey



Stagger polished grey

# Mosaics - Starlight



Basketweave & blue dots



Broken edges honed



3D - honed and natural split



5 finishings hexagon



Linear honed & sandblasted



5 finishings soldier pattern



Square pillowed polished




5 finishings square




Stagger polished

## Mosaics - Special design



## Mosaics - Special design



## Mosaics - Special design






MARMOCINO





MARMOCINO

**Marmocino offers the best of two worlds,  
being the uniqueness of marble  
the advantages of installation of ceramic tiles.**

 12 mm - 15 mm



Backside




Standard sizes: 1600 x 3000mm, 800 x 800mm, 600 x 600 mm, 400 x 600 mm, 300 x 600 mm.

Project sizes: on request (delivery time 8 weeks)





Belgian blue honed




Belgian blue Antique




Belgian blue loft



Belgian blue calima



Emperador light honed



Emperador dark honed



Bottocino honed





Carrara CD honed





Crema marfil honed

## Advantage Marmocino

**40 x**  
More heat conduction





**30 x**  
Less breakage



**5 x**  
Better colour selection



**4 x**  
Faster installation




**3 x**  
Less weight



**2 x**  
Lower transport cost



# Marmocino - Technical information



## A. Hechtsterkte onbehandelde tegels

Nummer	Sectie trekkop (mmm <sup>2</sup> )	Breuklast (kN)	Hechtsterkte (N/mm <sup>2</sup> )	Breukvlak
1	1962	1,82	0,93	Tegel/oppervlakte bekleding
2	1962	2,40	1,22	Tegel/oppervlakte bekleding
3	1962	1,80	0,92	Tegel/oppervlakte bekleding


## B. Hechtsterkte na bewaring bij 100°C gedurende 20 dagen

Nummer	Sectie trekkop (mmm <sup>2</sup> )	Breuklast (kN)	Hechtsterkte (N/mm <sup>2</sup> )	Breukvlak
1	1962	1,85	0,94	Trekkop/epicol lijm
2	1962	1,84	0,94	Trekkop/epicol lijm
3	1962	2,10	1,07	Trekkop/epicol lijm

## C. Hechtsterkte na thermische schok volgens EN 14066 (2003)

Nummer	Sectie trekkop (mmm <sup>2</sup> )	Breuklast (kN)	Hechtsterkte (N/mm <sup>2</sup> )	Breukvlak
1	1962	2,88	1,47	Trekkop/epicol lijm
2	1962	2,02	1,03	Trekkop/epicol lijm
3	1962	1,79	0,91	Trekkop/epicol lijm

# Marmocino - Mosaics



Belgian bluestone - Honed 90 x 90 x 12mm



Belgian bluestone - Century H 90 x 90 x 12mm



Belgian bluestone - Century H 90 x 90 x 12mm - IL



Belgian bluestone - Century H 48 x 48 x 12mm



Belgian bluestone - Century H 23x 23x 12mm



Kesra Century H 90 x 90 x 12mm



Honed free lengths



Honed random



Dorsaf grey - Century H 90 x 90 x 12mm

M A R M O  
P A N E L

M A R M O  
P A N E L



**Marmopanel. No muscles required.**

 **ceramico**

# What are thin 3D - Marmopanel?

**Thin. Large. Luxury. Eco.**

3D – Marmopanel are made by fusing thin slabs of stones from first quality solid slabs. Are you hesitating in making a choice of appropriate surfacing material? Marmopanel can be produced in an unlimited choice of limestone, sandstone, onyx and even granite.

Domestic and foreign high-end interior and building designers generally believe a new surfacing material should have the character of nature, be environmentally friendly, conserve energy and have stability, be lightweight, large in size and easy to install. Where can you find this kind of ideal surfacing material? It is called **Marmopanel**.

## Why you should use 3D - Marmopanel.

An ideal product for renovation that can withstand any price comparison with the traditional placement. Making noble real natural stones user-friendly is a response to the needs of architects and interior designers today.

- **Easy and fast placement of plates is a dream of our craftsmen.**
- **Easy to clean and maintain.**
- **Easy and fast installation.**
- **Excellent thermal and sound insulation.**
- **Fire resistant by using special glue, test BS476 Class 3.**

In these economic hard times, not only the price of the material is important, but also labour, budget and finishing time should be respected. Using such large-size plates, marmopanel is an innovation that allows designers to finish their creations on a tight schedule. The 3D - Marmopanel is the ideal substitute for traditional honeycomb panel. It is an ideal solution for all remodelling and rebuilding needs.



**Unbreakable because of the 3D fiberglass.**

# Solid as a rock, light as a feather.

Marmopanel only takes one sixth to one third of the traditional weight of solid stone slabs and is lighter than honeycomb slabs.

Reinforcement compared to unreinforced marble was 490 Kn/cm more. It's also an increase in flexibility and the weight is only 12 – 15 kg/m<sup>2</sup>, which is 1/6 of the same thickness of solid material. Impact resisting is 10 times more than 30 mm thick slabs.

## Fast and easy installation.


Comparing the Marmopanel and solid stone, tests show an overall increase in strength of more than 50% and easy to install on floors and walls without almost no breakage. Marmopanel can save more than 50% of natural resource and can be combined in different areas and spaces. Easy to transport and install could be re-trimmed on jobsite. To improve the appearance of a project and reduce various aspects of cost incurred in the general project construction.

Marmopanel can be used in luxury yachts, cruise ships, private planes, luxury train compartments, lifts or in places where weight plays an important role.



**Acoustic influences**


# Materials symbol of status and wealth



Breccia alba - grey



Breccia alba - grey



Breccia alba - red

# Materials symbol of status and wealth



High end interiors with the characters of natural stone

Much lighter than honeycomb panels

# Furnitures



Much lighter than honeycomb panels.

# Design objects



Much lighter than honeycomb panels

## Different finishings - multiple solutions



## Different finishings - multiple solutions



ULTRA  
THIN  
PANEL

ULTRA  
THIN  
PANEL

**Flexible and strong!**

**Real Marble!  
2,5 mm thickness.**



**'Everything you can  
Imagine is real.'**

Pablo Picasso

## What are ultra thin panels ? A dream of every craftsman.

Ultra thin panels are made by fusing thin slabs of stones from first quality solid slabs.

Are you hesitating in making a choice of appropriate surfacing material?

ultra thin panel can be produced in an unlimited choice of limestone, sandstone and onyx.

Domestic and foreign high-end interior and building designers generally believe a new surfacing material should have the character of nature, be environmentally friendly, conserve energy and have stability, be lightweight, large in size and easy to install.

Where can you find this kind of ideal surfacing material? It is called **ultra thin panel**.


## Why you should use ultra thin panels.

An ideal product for renovation that can withstand any price comparison with the traditional placement. Making noble real natural stones user-friendly is a response to the needs of architects and interior designers today.

- Easy and fast placement.
- Easy to clean and maintain.
- Easy and fast installation.
- Lightweight - almost unbreakable.

In these economic hard times, not only the price of the material is important, but also labour, budget and finishing time should be respected.

Using such large-size plates, ultra thin panel is an innovation that allows designers to finish their creations on a tight schedule. It is an ideal solution for all remodelling and rebuilding needs.



- Easy installation, small effort

- Lightweight and strong results

- Solid as a rock, light as a feather

- Fast and easy installation

- Almost unbreakable



**NEW 2021**

**XXXL - Slabs - 3000x1700mm - Thickness 3mm**



Ultra thin panel - Calacatta

**NEW 2021  
XXXL SLABS  
3000x1700mm  
Thickness 3mm**

**NEW 2021**


**XXXL - Slabs - 3000x1700mm - Thickness 3mm**



Ultra thin panel - Terrazzo - Milinium

**NEW 2021  
XXXL SLABS  
3000x1700mm  
Thickness 3mm**

# XXL Ultra thin panel - 2mm\*



\* Not possible on travertine - sandstone - granite.  
Pick up and installation always **vertical use**.

# XXL Ultra thin panel - 2mm\*



\* Not possible on travertine - sandstone - granite.  
Pick up and installation always **vertical use**.

**Ultra thin flexible panel - 1mm - 60x120cm**



**Ultra thin flexible panel - 1mm - 60x120cm**



**Ultra thin flexible panel - 1mm - 60x120cm**

**Ultra thin flexible panel - 1mm - 60x120cm**



# Slabs - Marmopanel and Ultra Thin




# Slabs - Marmopanel and Ultra Thin






# Slabs - Marmopanel and Ultra Thin



# Slabs - Marmopanel and Ultra Thin



# Slabs - Marmopanel and Ultra Thin



# Slabs - Marmopanel and Ultra Thin




**NEW 2021**

**Marmoline - Stone panel - Cement**  
610X152X25-40mm - Interlock



S - 303 - Quartz



S - 304 - Quartz




S - 311 - Quartz



Marmoline - Cement

**Marmoline - Stone panel - Cement**  
610X152X25-40mm - Interlock



S - 304 - Quartz

**Marmoline - Stone panel - Cement**  
610X152X25-40mm - Interlock




S - 304 - Quartz

**Marmoline - Stone panel - Cement**  
610X152X25-40mm - Interlock




S - 303 - Quartz

**Marmoline - Stone panel - Cement**  
610X152X25-40mm - Interlock



S - 304 - Quartz

**Marmoline - Stone panel - Cement**  
610X152X25-40mm - Interlock



S - 311- Quartz

**Marmoline - Stone panel - Glued**  
360x100x80-120mm - Interlock



Out of production  
but stocks available

S - 513 - C



S - 510



S - 506



S - N07

**Marmoline - Stone panel - Glued**  
360x100x80-120mm - Interlock




S - 510

**Marmoline - Stone panel - Glued**  
360x100x80-120mm - Interlock



S - 506

**Marmoline - Stone panel - Glued**  
360x100x80-120mm - Interlock




S - N07

**Marmoline - Stone panel - Glued**  
360x100x80-120mm - Interlock



S - 507 - A

**Marmoline - Stone panel - Glued**  
360x100x80-120mm - Interlock



S - 405



S - 507 - A



S - 513 - B



S - 401

**Marmoline - Stone panel - Glued**  
360x100x80-120mm - Interlock



S -507 - A

**Marmoline - Stone panel - Glued**  
360x100x80-120mm - Interlock



**Marmoline - Stone panel - Glued**  
360x100x80-120mm - Interlock



S - 505 - H



S - 506



S - 507 - A

# Marmoline - Stone panel - Glued


360x100x80-120mm - Interlock



S - 516 - W



S - 516 - E



S - 516 - E

# Marmoline - Stone panel - Glued

360x100x80-120mm - Interlock




S - 510 - B



S - 513 - C



S - 513 - B



S - 511

# Marmoline - Stone panel - Glued

360x100x80-120mm - Interlock



S - 510 - B

**Marmoline - Stone panel - Glued**




**Marmoline - Stone panel - Glued**



**Marmoline - Stone panel - Glued**



**Marmoline - Stone panel - Glued**




Wall Stone



S519

Wall Stone



S 505 H



S 506




S 507 A

# Wall Stone



S -507 - A - Strips

## Marmoline - Stone panel - Strips




## Marmoline - Stone panel - Strips



# Sinks



# Sinks



# Bath - Fountains - Sinks



# Bath - Fountains - Sinks

